

06/06/2019
C116latr

SCHEDULE 4 TO CLAUSE 43.02 DESIGN AND DEVELOPMENT OVERLAY

Shown on the planning scheme map as **DDO4**.

MORWELL EAST INDUSTRIAL PRECINCT

1.0

06/06/2019
C116latr

Design objectives

To ensure that the standard of the development, design and built form in the Morwell Industrial Precinct is of high quality is visually stimulating.

To introduce high quality landscape treatment to the site that contributes positively to the overall character and amenity of the Morwell Industrial Precinct.

2.0

28/05/2021
C122latr

Buildings and works

The following buildings and works requirements apply to an application to construct a building or construct or carry out works:

- A landscaping strip of a minimum 3 metres wide must be provided along and within the frontage and at least 3 metres wide along and within a side street boundary.
- Trees or shrubs should be included as part of the landscaping treatment to the frontage of the lots.
- Sympathetic landscaping and screening must be provided for the side and rear of lots facing Alexanders Road, Plough Creek and the adjoining agricultural land to the north and east of the precinct.
- Car parking shall not be provided in the landscape setback area.
- Visitor car parking should be located at the front of the site to encourage use of the parking area.
- All buildings must be set back at least 15 metres from the frontage and at least 3 metres from the side street boundary.
- Contemporary and creative architecture is encouraged in the design, built form, style and finishes. The façade of all buildings must be treated to the satisfaction of the responsible authority.
- Floor area coverage of buildings must not exceed 60% of the overall site area.
- Loading and service functions will be sited to the side or rear of premises and appropriately screened to address any visual amenity issues.
- External storage areas and garbage receptacles must be screened and adequately distanced from sensitive uses.
- All driveways and car parking areas at the front of the site must be constructed of an impervious all-weather seal coat such as concrete or bitumen and drained to the satisfaction of the responsible authority.
- All structures on rooftops, including air conditioning units and fans, must be appropriately screened to address any visual amenity issues.
- Front fences should be no greater than 1.2m in height and should be visibly permeable.
- Development of the site must enable vehicles to move to and from the site in a forward direction.

3.0

06/06/2019
C116latr

Subdivision

None specified.

4.0

28/05/2021
C122latr

Signs

None specified.

5.0

06/06/2019
C116latr

Application requirements

None specified.

6.0

28/05/2021
C122latr

Decision guidelines

The following decision guidelines apply to an application for a permit under Clause 43.02, in addition to those specified in Clause 43.02 and elsewhere in the scheme which must be considered, as appropriate, by the responsible authority:

- The impact of the development on the amenity and streetscape of the area and particularly having regard to the proximity of Princes Drive and Plough Creek.
- The appearance of the proposed development.
- The design and layout of the proposed development including setbacks from property boundaries.
- The proposed landscape treatment.
- The need to ensure that development or works are completed and maintained to a standard appropriate to the site's prominent location.
- Structure Plan, policy, strategy or guidelines relating to the land that have been adopted by the Responsible Authority.
- Signage shall be confined to simple, clear business identification signs on premises.
- Signage identifying the industrial precinct must contribute to the overall design and character of the industrial precinct.