

Environment Protection Act 2017

Licence number	OL000025565
Issue date	4 June 2009
Last amended	9 September 2022
Expiry date	31 December 9999
Licence holder	LATROBE CITY COUNCIL
ABN	92472314133
Registered address	141 COMMERCIAL RD, MORWELL, VIC, 3840, AU
Activity site(s)	64 Hyland Hwy, Loy Yang, VIC, 3844, AU
Prescribed permission activities	A05a (Landfills - excluding municipal landfills servicing <5000 people)
	A01 (Reportable priority waste management)

Issued under section 74(1)(a) of the Environment Protection Act 2017 (the Act).

Margaret Green

Team Leader, Licensing

Delegate of Environment Protection Authority Victoria (EPA)



Environment Protection Act 2017

Context

Environment Protection Authority Victoria (EPA) is Victoria's environmental regulator acting in accordance with the *Environment Protection Act 2017* (the Act). Our regulatory role is to work with community, industry and business to prevent and reduce the harmful effects of pollution and waste on Victoria's environment and people.

Why we issue operating licences

A range of operating activity types are prescribed in the Environment Protection Regulations 2021 (the Regulations) because they give rise to risks of harm to human health or the environment. We issue operating licences so applicants can lawfully undertake prescribed operating activities. Section 45 of the Act provides that a person must not engage in a prescribed operating activity except as authorised by an operating licence in respect of that activity.

When we issue operating licences

EPA can issue an operating licence under section 74(1) of the Act. When issuing an operating licence, EPA takes into account a number of factors, including the measures an applicant has taken or proposes to take in order to comply with the Act when engaging in the prescribed permission activity.

EPA can amend, suspend or revoke a licence for a range of reasons. This can include in response to changes in activities, risks or licence holder performance. All operating licence details are publicly accessible via the EPA Public Register.

Key information and obligations

Interpretation

For the purposes of this operating licence "You" means the "licence holder" identified on the first page. Unless a contrary intention appears, words or terms used in the conditions of your licence have the same meaning as in the Act, and in any regulations made pursuant to the Act.

Compliance

Your licence is subject to conditions. These conditions confer legal obligations on you as the licence holder. Some of these are general in nature, while others require you to do (or not to do) specific things. The requirements of these conditions do not detract from each other in any way, nor do they affect any other duties or obligations with which you are required to comply



Environment Protection Act 2017

by law. You must fulfil all duties and perform all obligations set out in this licence or otherwise required by law.

Strict penalties apply for non-compliance with any part of your.

You must comply with the Act and regulations administered by EPA. This includes, but is not limited to, compliance with the general environmental duty (GED).

Duties under the Act

Under the Act, you have legal obligations in relation to your prescribed and non-prescribed activities. These legal obligations exist to minimise risks of harm to human health and the environment from pollution and waste.

You may be committing an offence and be liable to a penalty under the Act if your actions or omissions constitute a breach of these legal obligations.

General environmental duty

The Act places the onus on you to understand the risks associated with your operation or activity and requires you to minimise the risk of harm. This is called the general environmental duty (GED).

Sections 6 and 25 of the Act provide the legal basis for the GED. These sections state that a person engaging in an activity which may give rise to risks of harm to human health or the environment from pollution or waste must eliminate or minimise those risks, as far as reasonably practicable.

Duty to notify EPA of notifiable incidents

A notifiable incident is a pollution incident that causes or threatens to cause material harm to human health or the environment or is a prescribed notifiable incident. Under section 32 of the Act, you have an obligation to notify EPA of a notifiable incident as soon as practicable after you become aware of the incident.

Duty to take action to respond to harm caused by pollution incident

Under section 31 of the Act, if a pollution incident has occurred as a result of an activity (whether by act or omission) and the pollution incident causes or is likely to cause harm to human health or the environment, a person who is engaging in that activity must, so far as reasonably practicable, restore the affected area to the state it was in before the pollution incident occurred.



Environment Protection Act 2017

Duty to notify of contaminated land

Under section 40(1) of the Act, a person in management or control of land must notify EPA if the land has been contaminated by notifiable contamination as soon as practicable after the person becomes aware of the notifiable contamination.

Notifiable contamination means contamination which is prescribed in the Regulations, or contamination for which the cost of action to remediate the land is likely to exceed \$50,000, or any other prescribed amount.

Duties relating to industrial waste, priority wastes and reportable priority wastes

Under parts 6.4 and 6.5 of the Act, a person has obligations in relation to the generation, receiving, recording, managing, transporting, and disposal of industrial, priority wastes and reportable priority wastes. These duties include:

- Duties of persons depositing industrial waste.
- Duties of persons receiving industrial waste.
- Duty of persons involved in transporting industrial waste.
- Duties of persons managing priority waste.
- Duty to investigate alternatives to waste disposal.
- Duty to notify of transaction in reportable priority waste.
- Duty of persons transporting reportable priority waste.

For further information on waste classifications see schedule 5 of the Regulations.

Further information and resources

To aid compliance with the Act and the Regulations, Environment Reference Standards (ERS), Compliance Codes, Position Statements and Guidelines have been developed to address a range of environmental objectives, permitted and non-permitted activities and risks.

You should understand how the Victorian environment protection framework applies to you and your activity, operation or business by making yourself familiar with the Act, Regulations, Compliance Codes and other relevant guidance material.

To assist you with understanding your obligations refer to www.epa.vic.gov.au.



Environment Protection Act 2017

Amendment

You can apply at any time to EPA for an amendment to your licence under section 57 of the Act. EPA may also decide to amend a licence under its own initiative according to section 58 of the Act.

Transfer

A person may apply to EPA for the transfer of this licence to a new licence holder pursuant to section 56 of the Act.

Duration of licence

This operating licence is subject to the expiry date identified on the first page. It will remain in force until that time unless it is first surrendered by the licence holder (with consent from EPA), or it is suspended or revoked by EPA.

Operating licence structure

Your operting licence has multiple parts:

- Conditions
- Appendix 1 locality plan
- Appendix 2 activity plan
- Appendix 3 contour plan
- Appendix 4 waste acceptance table
- Appendix 5 air discharge table
- Appendix 6 water discharge table
- Appendix 7 landfill cell table



Environment Protection Act 2017

Conditions

General conditions

General condit	tions
OL_G1	A copy of this licence must be kept at the activity site and be easily accessible to persons who are engaging in an activity conducted at the activity site. Information regarding the requirements of the licence and the Act duties must be included in site induction and training information.
OL_G2	You must immediately notify the Authority by calling 1300 EPA VIC (1300 372 842) in the event of: a) A discharge, emission or deposit which gives rise to, or may give rise to, actual or potential harm to human health or the environment; b) A malfunction, breakdown or failure of risk control measures at the activity site which could reasonably be expected to give rise to actual or potential harm to human health or the environment; or c) Any breach of the licence.
OL_G3	You must notify the Authority within 48 hours of the occurrence of any the following: (a) Any change to your name or address (including your registered address and activity site as applicable); (b) You become, or are likely to become, an insolvent under administration; (c) You become, or are likely to become, an externally administered company under the Corporations Act; or (d) A change to an officer (as defined in the Act). You must update your information in the EPA Interaction Portal if any other relevant administrative details for your business change.
OL_G4a	You must provide to the Authority with a Permission Information and Performance Statement (PIPS) in the form determined by the Authority within 2 months of receiving notification in writing from the Authority. The PIPS may be released to the public (in whole or in part).
OL_G4b	Information and monitoring records used for the preparation of, inclusion in, or support of, any reporting or notification that is required of you by the Authority (including data reporting, performance reporting, documents evidencing any risk and monitoring program) must be: a) retained for five years; and b) made available to the Authority on request.
OL_G5	1. You must develop a risk management and monitoring program for your activities which: (a) identifies all the risks of harm to human health and the environment which may arise from the activities you are engaging in at your activity site; (b) clearly defines your environmental performance objectives; (c) clearly defines your risk control performance objectives; (d) describes



Environment Protection Act 2017

how the environmental and risk control performance objectives are being achieved; (e) identifies and describes how you will continue to eliminate or minimise the risks in 1(a) (above) so far as reasonably practicable (SFARP); and (f) describes how the information collated in compliance with this clause, is or will be disseminated, used or otherwise considered by you or any other entity. 2. The risk management and monitoring program must be: (a) documented in writing; (b) signed by a duly authorised officer of the licensed entity; and (c) made available to the Authority on request.

Standard conditions

Standard Conditions		
OL_L1	The risk management and monitoring program referenced in condition OL_G5 must be in accordance with Section A of the Landfill Licensing Guidelines (EPA Publication 1323). The risk management and monitoring program must be verified by a person who has been appointed as an environmental auditor under the Environment Protection Act 2017 and it must: a) describe the environmental monitoring of landfill gas, leachate, groundwater, land, air, odour, noise, dust and surface water which will be undertaken to respond to the risks identified in the risk assessment; b) contain trigger levels and contingency actions to prevent further pollution if trigger levels are exceeded; and c) specify the frequency for completing environmental audits of the landfill operation.	
OL_L10	You must ensure that waste that has been previously deposited is not recovered and reprocessed except in accordance with written approval from EPA.	
OL_L11	You must ensure that waste is not stockpiled at the activity site prior to deposit in a cell except in accordance with written approval from EPA.	
OL_L12	You must ensure that an independent annual survey is conducted by a licensed surveyor, or other method approved by the Authority in writing, by the end of June each year for each landfill cell at the activity site and submitted to the Authority with your permission information and performance statement. The survey must: a) confirm the volume and mass of air space consumed since the last survey; and b) verify that the top of the waste deposited in cells is in compliance with the EPA approved presettlement contour plan.	



You must manage each landfill cell so that the surface contour prior to settlement conforms to the surface profile grades in Section 8.1.5 of the Best Practice Environmental Management, Siting, Design, Operation and Rehabilitation of Landfills (EPA Publication 788) or otherwise as approved by the Authority in writing and so that the top of waste prior to settlement is not higher at any point than the pre-settlement top of waste approved contour plan shown in Appendix 3
A weighbridge must be used at the landfill to measure and record: a) the weight of waste received at the site; and b) the weight of waste that is removed from the site.
A weighbridge must be used at the activity site to measure and record the weight of all loads of waste moved between prescribed permissioned activities at the activity site, including the weight of all loads of waste moved to the A05a (landfills – excluding municipal landfills servicing <5000 people)' as depicted in 'Appendix 2 – activity plan' from the 'A13(Waste and Resource Recovery – large)' as depicted in 'Appendix 2 – activity plan' at the activity site
You must take measures to prevent hotspots in the waste mass at the landfill site.
You must report hotspots within the waste mass to the Authority within 24 hours of detection, and provide a follow-up action plan within 7 days detailing how the hotspot will be cooled, including monitoring, actions completed and to be taken, along with the proposed timeframes.
You must manage hotspots within the waste mass in accordance with the Landfill Licensing Guidelines (EPA Publication 1323).
You must: a) notify the Authority of your intention to commence construction of a new landfill cell at the activity site by written notice in accordance with Appendix 7 of the Landfill Licensing Guidelines (EPA Publication 1323); and b) not start constructing a new cell without written approval from the Authority.
Prior to commencing construction of a new landfill cell you must submit the following material to the Authority so that it may consider whether or not to grant approval for the construction of the new cell: a) detailed designs of the landfill cell meaning plans, technical specifications and a construction quality assurance plan which comply with Section 6 and Appendices D, E



	and F of the Best Practice Environmental Management, Siting, Design, Operation and Rehabilitation of Landfills (EPA Publication 788); b) an assessment report of the of the detailed designs prepared by a person who has been appointed as an environmental auditor under the Environment Protection Act 2017 in accordance with Appendix 14 of the Landfill Licensing Guidelines (EPA Publication 1323); and c) a completed and signed auditor declaration in the format shown in Appendix 15 of the Landfill Licensing Guidelines (EPA Publication 1323).
OL_L2	You must engage a person who has been appointed as an environmental auditor under the Environment Protection Act 2017 to conduct environmental audits of the nature and extent of the risk of harm to human health or the environment arising from landfill operation under Section 208 of the Act at the frequency specified in the monitoring program.
OL_L20	Upon approval by the Authority to construct each new landfill cell, you must engage a person who has been appointed as an environmental auditor under the Environment Protection Act 2017 to conduct an environmental audit and submit an environmental audit statement and environmental audit report to the Authority. The environmental audit report must: a) verify that the construction of the new landfill cell is in accordance with EPA approved designs; b) assess any potential risks associated with the construction or use of the new landfill cell; and c) be prepared in accordance with Section 212 of the Environment Protection Act 2017.
OL_L21	You must not commence filling of any new landfill cell with waste without the written approval of EPA.
OL_L22	You must implement a rehabilitation plan for the landfill. The plan must: a) be revised after each cell is full, if necessary; b) meet the requirements of Section 8 of Best Practice Environmental Management, Siting, Design, Operation and Rehabilitation of Landfills (EPA Publication 788); c) set timeframes for placement of final capping of all completed cells, calculated from the date that the cell became full; and d) set timeframes for the progressive capture and treatment of landfill gas and leachate from each completed cell.
OL_L23	You must place intermediate cover on all cells within one month of the date that the cell became full. The intermediate cover must comprise a minimum of 500 mm of compacted clay or compacted clay rich soil or alternative cover approved by the Authority in writing.



OL_L24	In circumstances where the deposit of waste in a cell is likely to cease for a period of three months or more, you must place intermediate cover on the cell within one month of the date that waste was last placed in the cell. The intermediate cover must comprise a minimum of 500 mm of compacted clay or compacted clay rich soil or alternative cover approved by the Authority in writing.
OL_L25	Prior to commencing construction of each new section of landfill cap you must submit the following to the Authority for approval: a) detailed designs of the landfill cap, meaning plans, technical specifications and a construction quality assurance plan which comply with Section 8 and Appendices D, E and F of the Best Practice Environmental Management, Siting, Design, Operation and Rehabilitation of Landfills (EPA Publication 788); b) an assessment report of the detailed designs of the cap prepared by a person who has been appointed as an environmental auditor under the Environment Protection Act 2017 in accordance with Appendix 14 of the Landfill Licensing Guidelines (EPA Publication 1323); and c) a completed and signed auditor declaration in the format shown in Appendix 15 of the Landfill Licensing Guidelines (EPA Publication 1323).
OL_L26	Upon approval by the Authority to construct each new landfill cap you must engage a person who has been appointed as an environmental auditor under the Environment Protection Act 2017 to conduct and submit an environmental audit report to the Authority. The environmental audit report must: a) verify that the construction of the cap is in accordance with EPA approved designs; b) assess any potential risks associated with the construction; and c) be prepared in accordance with Section 212 of the Environment Protection Act 2017.
OL_L27	You must complete final capping of cells within 2 years of the date that cell became full, in compliance with the approved rehabilitation plan.
OL_L28	You must provide the Authority with at least 6 month's notice of your intention to cease accepting waste at the activity site.
OL_L3	You must ensure that surface water is segregated from active landfill cells.
OL_L4	Waters contaminated by leachate must not be discharged beyond the boundaries of the site.



OL_L5	You must take all practicable measures to prevent emissions of landfill gas from exceeding the action levels specified in Table 6.4 of Best Practice Environmental Management, Siting, Design, Operation and Rehabilitation of Landfills (EPA Publication 788).
OL_L6	All waste in the cell(s) listed in Appendix 7, apart from at the active tipping face must be covered at all times.
OL_L7	By the end of each day's operations waste must be covered in one of these ways: a) with a layer of soil at least 0.15 metres thick if the waste is only solid inert waste; b) with a layer of soil at least 0.30 metres thick for all other wastes; c) using alternative cover approved by the Authority in writing.
OL_L8	You must: a) limit the area of the tipping face of each cell to 900m2; b) only operate one tipping face at any time unless a second tipping face is required for short term operational reasons; and c) ensure the active tipping face is mechanically stable as per Section 7.6 of the Best Practice Environmental Management, Siting, Design, Operation and Rehabilitation of Landfills (EPA Publication 788).
OL_L9	You must ensure all of the following: a) Waste that is accepted for disposal at the activity site is only placed into cell(s) listed in Appendix 7; and b) Waste for disposal is not placed outside of the perimeter of any cell(s) listed in Appendix 7.
OL_WA1	You must ensure all of the following: a) Only waste of a type shown in Appendix 4 of this licence is accepted at the activity site; and b) If it is identified that any waste has been received at the activity site that is of a type not shown in Appendix 4 in contravention of paragraph a) above, such waste must be placed in a designated and sign-posted temporary storage area and sent for disposal to a site licensed by the Authority to receive such waste within 21 days of the date it was received.
OL_WA2	Wastes accepted at the activity site may only be treated or disposed of in accordance with Appendix 4.
OL_WM14	All plant and equipment must be maintained and operated in proper working condition, in accordance with the manufacturer's specifications.
OL_WM3	You must ensure that litter originating from the activity site is not present beyond the boundaries of the activity site.



Specific conditions


- p	······································
OL_G6.2	You must: (a) provide the Authority with a financial assurance in a form and for an amount determined by the Authority, by a date specified by the Authority; and (b) maintain such financial assurance (including any part of such assurance) so that it can be claimed on, utilised or realised by the Authority as and when required.
OL_L29	You must submit a waste mass balance report at the same time that you submit each waste levy statement required under section 150 of the Environment Protection Act 2017. The waste mass balance report must be completed in accordance with the Waste Mass Balance Guideline (EPA Publication 2040), as amended from time to time.
OL_L4.1	You must extract leachate from cells 3, 4 and 6 such that the depth of leachate above the lowest point of the drainage layer does not exceed 300 millimetres.
OL_L7.1	You must cover waste asbestos immediately upon deposition in one of these ways: a) with a layer of waste (not including waste asbestos) at least 1 metre thick or a layer of soil at least 0.3 metres thick; or b) using alternative cover approved by the Authority in writing.
OL_WA1.5	You must not accept any waste for storage pending any licenced operation except asbestos waste of domestic origin stored in a single 12m3 sized consolidation bin at the site marked, 'Hyland Highway Landfill Part B (Site of Asbestos Bin)' in Schedule 1B, and managed according to the following: (A) At all times storage does not exceed a single consolidation bin with a locked lid or locked behind doors or gates with access only allowed to those appropriately trained in.
OL_WM4	You must ensure that waste does not burn at the activity site.



Environment Protection Act 2017

Appendices

Appendix 1 – locality plan





Environment Protection Act 2017

Operating licence number	OL000025565
Company name	LATROBE CITY COUNCIL
ABN	92472314133
Activity site	64 Hyland Hwy, Loy Yang, VIC, 3844, AU
Issued	04 June 2009


Before relying on the information in this map, carefully evaluate its accuracy, currency, completeness and relevance. Obtain appropriate professional advice before using this information.



Environment Protection Act 2017

Appendix 2 – activity plan








Environment Protection Act 2017

Operating licence number	OL000025565
Company name	LATROBE CITY COUNCIL
ABN	92472314133
Activity site	64 Hyland Hwy, Loy Yang, VIC, 3844, AU
Issued	04 June 2009

Before relying on the information in this map, carefully evaluate its accuracy, currency, completeness and relevance. Obtain appropriate professional advice before using this information.





Environment Protection Act 2017

Operating licence number	OL000025565
Company name	LATROBE CITY COUNCIL
ABN	92472314133
Activity site	64 Hyland Hwy, Loy Yang, VIC, 3844, AU
Issued	04 June 2009


Before relying on the information in this map, carefully evaluate its accuracy, currency, completeness and relevance. Obtain appropriate professional advice before using this information.



Environment Protection Act 2017

Appendix 3 – contour plan







Environment Protection Act 2017

Operating licence number	OL000025565
Company name	LATROBE CITY COUNCIL
ABN	92472314133
Activity site	64 Hyland Hwy, Loy Yang, VIC, 3844, AU
Issued	04 June 2009

Before relying on the information in this map, carefully evaluate its accuracy, currency, completeness and relevance. Obtain appropriate professional advice before using this information.



Environment Protection Act 2017

Appendix 4 - waste acceptance table

Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
K210	Solid commercial food wastes, not otherwise specified in "Schedule 5—Waste Classification" of the Environment Protection Regulations 2021			D22	Landfill disposal
K230	Processed solid organic waste, including unpasteurised or otherwise contaminated material			D22	Landfill disposal
K300	Commercial garden & landscaping organics that does not contain any physical or chemical contamination			D22	Landfill disposal
К310-Н	Timber treated with hazardous substances, including sawdust			D22	Landfill disposal
K310-NH	Untreated timber, including sawdust			D22	Landfill disposal
T141	Tyre pieces less than 250 millimetres in size			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
	measured in any dimension				
W_1	Municipal Waste - waste from a municipal kerbside collection			D22	Landfill disposal
W_2	Industrial Waste (Construction and Demolition) - Waste from construction, demolition and other sources which is solid inert waste			D22	Landfill disposal
W_3	Industrial Waste (Commercial and Industrial) - Waste from commercial and industrial sources that includes putrescible waste			D22	Landfill disposal
X100	Textiles			D22	Landfill disposal
X200	Leather and rubber, other than tyres			D22	Landfill disposal
Y100	Concrete			D22	Landfill disposal
Y110	Bricks			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
Y130	Plaster board and cement sheeting			D22	Landfill disposal
Y140	Asphalt			D22	Landfill disposal
Z100	Glass			D22	Landfill disposal
Z300	Steel			D22	Landfill disposal
Z310	Aluminium			D22	Landfill disposal
Z320	Non-ferrous metals, other than Aluminium			D22	Landfill disposal
Z400	Cardboard			D22	Landfill disposal
Z410	Liquid paperboard			D22	Landfill disposal
Z420	Newsprint and magazines			D22	Landfill disposal
Z430	Office paper			D22	Landfill disposal
Z500	Plastics, PIC #1 through #7			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
Z420	Newsprint and magazines			D22	Landfill disposal
K310-NH	Untreated timber, including sawdust			D22	Landfill disposal
Y140	Asphalt			D22	Landfill disposal
Z410	Liquid paperboard			D22	Landfill disposal
Z320	Non-ferrous metals, other than Aluminium			D22	Landfill disposal
Z300	Steel			D22	Landfill disposal
K210	Solid commercial food wastes, not otherwise specified in "Schedule 5—Waste Classification" of the Environment Protection Regulations 2021			D22	Landfill disposal
Y130	Plaster board and cement sheeting			D22	Landfill disposal
Z300	Steel			D22	Landfill disposal
Z400	Cardboard			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
K310-H	Timber treated with hazardous substances, including sawdust			D22	Landfill disposal
Z400	Cardboard			D22	Landfill disposal
T141	Tyre pieces less than 250 millimetres in size measured in any dimension			D22	Landfill disposal
Z100	Glass			D22	Landfill disposal
W_2	Industrial Waste (Construction and Demolition) - Waste from construction, demolition and other sources which is solid inert waste			D22	Landfill disposal
Z420	Newsprint and magazines			D22	Landfill disposal
Z320	Non-ferrous metals, other than Aluminium			D22	Landfill disposal
W_3	Industrial Waste (Commercial and Industrial) - Waste from commercial and industrial sources that			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
	includes putrescible waste				
Z430	Office paper			D22	Landfill disposal
Z500	Plastics, PIC #1 through #7			D22	Landfill disposal
X100	Textiles			D22	Landfill disposal
W_1	Municipal Waste - waste from a municipal kerbside collection			D22	Landfill disposal
X100	Textiles			D22	Landfill disposal
Y100	Concrete			D22	Landfill disposal
Z500	Plastics, PIC #1 through #7			D22	Landfill disposal
Y140	Asphalt			D22	Landfill disposal
K300	Commercial garden & landscaping organics that does not contain any physical or chemical contamination			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
K300	Commercial garden & landscaping organics that does not contain any physical or chemical contamination			D22	Landfill disposal
K210	Solid commercial food wastes, not otherwise specified in "Schedule 5—Waste Classification" of the Environment Protection Regulations 2021			D22	Landfill disposal
Y100	Concrete			D22	Landfill disposal
Y110	Bricks			D22	Landfill disposal
Z430	Office paper			D22	Landfill disposal
N122	Excavated material or engineered fill including fill material, other than item 83 or 85 of "Schedule 5—Waste Classification" of the Environment Protection Regulations 2021				
W_1	Municipal Waste - waste from a municipal kerbside collection			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
Z310	Aluminium			D22	Landfill disposal
T141	Tyre pieces less than 250 millimetres in size measured in any dimension			D22	Landfill disposal
W_3	Industrial Waste (Commercial and Industrial) - Waste from commercial and industrial sources that includes putrescible waste			D22	Landfill disposal
X200	Leather and rubber, other than tyres			D22	Landfill disposal
K310-NH	Untreated timber, including sawdust			D22	Landfill disposal
К310-Н	Timber treated with hazardous substances, including sawdust			D22	Landfill disposal
Y110	Bricks			D22	Landfill disposal
X200	Leather and rubber, other than tyres			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
Y130	Plaster board and cement sheeting			D22	Landfill disposal
Z100	Glass			D22	Landfill disposal
Z410	Liquid paperboard			D22	Landfill disposal
K230	Processed solid organic waste, including unpasteurised or otherwise contaminated material			D22	Landfill disposal
Z310	Aluminium			D22	Landfill disposal
K230	Processed solid organic waste, including unpasteurised or otherwise contaminated material			D22	Landfill disposal
W_2	Industrial Waste (Construction and Demolition) - Waste from construction, demolition and other sources which is solid inert waste			D22	Landfill disposal
K100	Animal effluent and residues, including abattoir wastes and			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
	other wastes from animal processing				
K100	Animal effluent and residues, including abattoir wastes and other wastes from animal processing			D22	Landfill disposal
K100	Animal effluent and residues, including abattoir wastes and other wastes from animal processing			D22	Landfill disposal
N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal Categories— Characteristics and Thresholds or contains asbestos			D1	Landfill disposal of Category C waste
N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal			D18	Landfill disposal of Category D soil



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
	Categories— Characteristics and Thresholds or contains asbestos				
N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal Categories— Characteristics and Thresholds or contains asbestos			D1	Landfill disposal of Category C waste
N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal Categories— Characteristics and Thresholds or contains asbestos			D18	Landfill disposal of Category D soil
N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant			D1	Landfill disposal of Category C waste



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
	concentrations specified in the Waste Disposal Categories— Characteristics and Thresholds or contains asbestos				
N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal Categories— Characteristics and Thresholds or contains asbestos			D18	Landfill disposal of Category D soil
N220	Waste asbestos			D20	Landfill disposal of packaged waste asbestos
N220	Waste asbestos			D20	Landfill disposal of packaged waste asbestos
N220	Waste asbestos			D20	Landfill disposal of packaged waste asbestos
K110	Grease trap waste			D22	Landfill disposal



Waste Code	Waste Description	Storage Quantity	Unit	Treatment Code	Treatment Description
K110	Grease trap waste			D22	Landfill disposal
K110	Grease trap waste			D22	Landfill disposal



Environment Protection Act 2017

Appendix 5 – air discharge table

There are no air discharge points for this licence.



Environment Protection Act 2017

Appendix 6 -water discharge table

There are no water discharge points for this licence.



Environment Protection Act 2017

Appendix 7 – landfill cells

Cell ID	Waste Code	Description	Hazard Code
CELL 6	K210	Solid commercial food wastes, not otherwise specified in "Schedule 5— Waste Classification" of the Environment Protection Regulations 2021	
CELL 6	K230	Processed solid organic waste, including unpasteurised or otherwise contaminated material	
CELL 6	К300	Commercial garden & landscaping organics that does not contain any physical or chemical contamination	
CELL 6	K310-H	Timber treated with hazardous substances, including sawdust	
CELL 6	K310-NH	Untreated timber, including sawdust	
CELL 6	T141	Tyre pieces less than 250 millimetres in size measured in any dimension	
CELL 6	W_1	Municipal Waste - waste from a municipal kerbside collection	
CELL 6	W_2	Industrial Waste (Construction and Demolition) - Waste from construction, demolition and other sources which is solid inert waste	
CELL 6	W_3	Industrial Waste (Commercial and Industrial) - Waste from commercial and industrial sources that includes putrescible waste	



Cell ID	Waste Code	Description	Hazard Code
CELL 6	X100	Textiles	
CELL 6	X200	Leather and rubber, other than tyres	
CELL 6	Y100	Concrete	
CELL 6	Y110	Bricks	
CELL 6	Y130	Plaster board and cement sheeting	
CELL 6	Y140	Asphalt	
CELL 6	Z100	Glass	
CELL 6	Z300	Steel	
CELL 6	Z310	Aluminium	
CELL 6	Z320	Non-ferrous metals, other than Aluminium	
CELL 6	Z400	Cardboard	
CELL 6	Z410	Liquid paperboard	
CELL 6	Z420	Newsprint and magazines	
CELL 6	Z430	Office paper	
CELL 6	Z500	Plastics, PIC #1 through #7	
CELL 4	Z420	Newsprint and magazines	
CELL 4	K310-NH	Untreated timber, including sawdust	



Cell ID	Waste Code	Description	Hazard Code
CELL 4	Y140	Asphalt	
CELL 4	Z410	Liquid paperboard	
CELL 5	Z320	Non-ferrous metals, other than Aluminium	
CELL 5	Z300	Steel	
CELL 5	K210	Solid commercial food wastes, not otherwise specified in "Schedule 5— Waste Classification" of the Environment Protection Regulations 2021	
CELL 5	Y130	Plaster board and cement sheeting	
CELL 4	Z300	Steel	
CELL 4	Z400	Cardboard	
CELL 4	K310-H	Timber treated with hazardous substances, including sawdust	
CELL 5	Z400	Cardboard	
CELL 5	T141	Tyre pieces less than 250 millimetres in size measured in any dimension	
CELL 5	Z100	Glass	
CELL 5	W_2	Industrial Waste (Construction and Demolition) - Waste from construction, demolition and other sources which is solid inert waste	



Cell ID	Waste Code	Description	Hazard Code
CELL 5	Z420	Newsprint and magazines	
CELL 4	Z320	Non-ferrous metals, other than Aluminium	
CELL 4	W_3	Industrial Waste (Commercial and Industrial) - Waste from commercial and industrial sources that includes putrescible waste	
CELL 4	Z430	Office paper	
CELL 5	Z500	Plastics, PIC #1 through #7	
CELL 4	X100	Textiles	
CELL 5	W_1	Municipal Waste - waste from a municipal kerbside collection	
CELL 5	X100	Textiles	
CELL 4	Y100	Concrete	
CELL 4	Z500	Plastics, PIC #1 through #7	
CELL 5	Y140	Asphalt	
CELL 4	K300	Commercial garden & landscaping organics that does not contain any physical or chemical contamination	
CELL 5	K300	Commercial garden & landscaping organics that does not contain any physical or chemical contamination	



Cell ID	Waste Code	Description	Hazard Code
CELL 4	K210	Solid commercial food wastes, not otherwise specified in "Schedule 5— Waste Classification" of the Environment Protection Regulations 2021	
CELL 5	Y100	Concrete	
CELL 5	Y110	Bricks	
CELL 5	Z430	Office paper	
CELL 4	W_1	Municipal Waste - waste from a municipal kerbside collection	
CELL 4	Z310	Aluminium	
CELL 4	T141	Tyre pieces less than 250 millimetres in size measured in any dimension	
CELL 5	W_3	Industrial Waste (Commercial and Industrial) - Waste from commercial and industrial sources that includes putrescible waste	
CELL 4	X200	Leather and rubber, other than tyres	
CELL 5	K310-NH	Untreated timber, including sawdust	
CELL 5	K310-H	Timber treated with hazardous substances, including sawdust	
CELL 4	Y110	Bricks	
CELL 5	X200	Leather and rubber, other than tyres	



Cell ID	Waste Code	Description	Hazard Code
CELL 4	Y130	Plaster board and cement sheeting	
CELL 4	Z100	Glass	
CELL 5	Z410	Liquid paperboard	
CELL 4	K230	Processed solid organic waste, including unpasteurised or otherwise contaminated material	
CELL 5	Z310	Aluminium	
CELL 5	K230	Processed solid organic waste, including unpasteurised or otherwise contaminated material	
CELL 4	W_2	Industrial Waste (Construction and Demolition) - Waste from construction, demolition and other sources which is solid inert waste	
CELL 4	K100	Animal effluent and residues, including abattoir wastes and other wastes from animal processing	
CELL 5	K100	Animal effluent and residues, including abattoir wastes and other wastes from animal processing	
CELL 6	K100	Animal effluent and residues, including abattoir wastes and other wastes from animal processing	
CELL 4	N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste	Cat C



Cell ID	Waste Code	Description	Hazard Code
		Disposal Categories—Characteristics and Thresholds or contains asbestos	
CELL 4	N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal Categories—Characteristics and Thresholds or contains asbestos	Cat D
CELL 5	N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal Categories—Characteristics and Thresholds or contains asbestos	Cat C
CELL 5	N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal Categories—Characteristics and Thresholds or contains asbestos	Cat D
CELL 6	N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal Categories—Characteristics and Thresholds or contains asbestos	Cat C
CELL 6	N120	Soil that has contaminant concentrations exceeding the upper limits for fill material contaminant concentrations specified in the Waste Disposal Categories—Characteristics and Thresholds or contains asbestos	Cat D
CELL 4	N220	Waste asbestos	



Environment Protection Act 2017

Cell ID	Waste Code	Description	Hazard Code
CELL 5	N220	Waste asbestos	
CELL 6	N220	Waste asbestos	
CELL 6	K110	Grease trap waste	
CELL 5	K110	Grease trap waste	
CELL 4	K110	Grease trap waste	

Click or tap here to enter text.

